

# FAMILY GROUP RECORD

© 1984 The Genealogical Society

[illegible][illegible]

1990

[illegible]

SECRET

1947-48

1990

1990

10

1000

[illegible]

1971

Figure 1. Schematic representation of the experimental design. The subjects were divided into two groups: the control group (CG) and the experimental group (EG). The CG was divided into two subgroups: the control group (CG) and the control group (CG). The EG was divided into two subgroups: the experimental group (EG) and the experimental group (EG). The subjects were divided into two groups: the control group (CG) and the experimental group (EG). The CG was divided into two subgroups: the control group (CG) and the control group (CG). The EG was divided into two subgroups: the experimental group (EG) and the experimental group (EG).

1

1. The first part of the paper is devoted to the study of the asymptotic behavior of the solutions of the system (1) as  $t \rightarrow \infty$ . It is shown that the solutions of the system (1) are bounded and tend to zero as  $t \rightarrow \infty$  if the matrix  $A$  is stable. The second part of the paper is devoted to the study of the asymptotic behavior of the solutions of the system (1) as  $t \rightarrow \infty$  if the matrix  $A$  is not stable. It is shown that the solutions of the system (1) are unbounded and tend to infinity as  $t \rightarrow \infty$  if the matrix  $A$  is not stable.